



## Scheduled Maintenance

Model:	Current Km/mi:
Plate Number:	Date of Registration:
Customer Name:	Current Date:

Scheduled Maintenance intervention Check List motorcycle equipped with Testastretta DVT 1262cc engine	Km. X 1.000	1	15	30	45	60	Time (months)
	mi. X 1.000	0.6	9	18	27	36	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter		•					
<input type="checkbox"/> Check and/or adjust valve clearance				•		•	
<input type="checkbox"/> Change timing belts				•		•	60
<input type="checkbox"/> Change water pump belt				•		•	60
<input type="checkbox"/> Change spark plugs			•	•	•	•	
<input type="checkbox"/> Clean plugs with metal mesh filters on head						•	
<input type="checkbox"/> Clean air filter			•		•		12
<input type="checkbox"/> Change air filter				•		•	
<input type="checkbox"/> Check brake and clutch fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid							36
<input type="checkbox"/> Check pad wear and brake discs. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check the proper tightening of brake calliper bolts and brake disc flange screws		•	•	•	•	•	12
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check frame-to-engine fasteners tightening			•	•	•	•	
<input type="checkbox"/> Check bearings wheel hubs				•		•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	
<input type="checkbox"/> Check the cush drive damper on driven pulley				•		•	
<input type="checkbox"/> Check the proper tightening of final drive driven and driving pulley nut		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (belt, driven and driving pulley)			•	•	•	•	12
<input type="checkbox"/> Check final drive belt tension		•	•	•	•	•	12
<input type="checkbox"/> Check steering bearings and lubricate, if necessary				•		•	
<input type="checkbox"/> Change front fork fluid				•		•	
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check the freedom of movement and tightening of side and central stand (if installed)		•	•	•	•	•	12
<input type="checkbox"/> Visual check fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Change coolant					•		48
<input type="checkbox"/> Check of the coolant level and sealing of coolant circuit		•	•	•	•	•	12
<input type="checkbox"/> Check tyre pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lighting, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0		•	•	•	•	•	12
<input type="checkbox"/> Road test of motorcycle, testing the safety devices (ex. ABS and DTC), Cruise Control device, electric fans and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean of the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance



## Scheduled Maintenance

Model: \_\_\_\_\_ Current km/mi: \_\_\_\_\_  
 Plate Number: \_\_\_\_\_ Date of Registration: \_\_\_\_\_  
 Customer Name: \_\_\_\_\_ Current Date: \_\_\_\_\_

Scheduled Maintenance intervention Check List motorcycle equipped with Testastretta DVT 1200cc engine	km. x 1.000	1	15	30	45	60	Time (months)
	mi. x 1.000	0.6	9	18	27	36	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter		•					
<input type="checkbox"/> Check and/or adjust valve clearance				•		•	
<input type="checkbox"/> Change timing belts				•		•	60
<input type="checkbox"/> Change spark plugs				•		•	
<input type="checkbox"/> Clean plugs with metal mesh filters on head						•	
<input type="checkbox"/> Clean plugs with metal mesh filters on head (Enduro version)				•		•	
<input type="checkbox"/> Clean air filter			•		•		12
<input type="checkbox"/> Changing air filter				•		•	
<input type="checkbox"/> Check brake and clutch fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid							36
<input type="checkbox"/> Check pad wear and brake discs. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check tightening torque of front and rear brake calliper screws and front brake disc screws		•	•	•	•	•	12
<input type="checkbox"/> Check of tightening of phonic wheel and rear brake disc screws (with removal of the rear wheel shaft, excluding the Enduro version)			•	•	•	•	
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check frame-to-engine fasteners tightening			•	•	•	•	
<input type="checkbox"/> Check bearings wheel hubs				•		•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	
<input type="checkbox"/> Check the cush drive damper on rear sprocket				•		•	
<input type="checkbox"/> Check the proper tightening of final drive front and rear sprocket nuts		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (chain, front and rear sprockets) and chain sliding shoes			•	•	•	•	12
<input type="checkbox"/> Check the final drive chain tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check steering bearings and lubricate, if necessary				•		•	
<input type="checkbox"/> Check spoked wheels as specified in the workshop manual (if any)		•	•	•	•	•	
<input type="checkbox"/> Change front fork fluid				•		•	
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check the freedom of movement and tightening of side and central stand (if any)		•	•	•	•	•	12
<input type="checkbox"/> Visual check fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Change coolant					•		48
<input type="checkbox"/> Check of the coolant level and sealing of coolant circuit		•	•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lighting, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Activate LED front lighting (if any) through DDS 2.0			•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0		•	•	•	•	•	12
<input type="checkbox"/> Road test of motorcycle, testing the safety devices (ex. ABS, DTC and VHC if any), Cruise Control device, electric fans and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean of the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance.  
 In case of off-road use, it is necessary to perform the maintenance operations more frequently than scheduled.



## Scheduled Maintenance

Model: \_\_\_\_\_

Plate Number: \_\_\_\_\_ Current km/mi: \_\_\_\_\_


Customer Name: \_\_\_\_\_ Date of Registration: \_\_\_\_\_

Scheduled Maintenance intervention Check List for motorcycle equipped with Testastretta 11° 821, Testastretta 11° 937 and Testastretta 11° DS 1200 engine	km. x 1.000	1	15	30	45	60	Time (months)
	mi. x 1.000	0,6	9	18	27	36	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter (only MR 1200 and DVL)		•					
<input type="checkbox"/> Clean engine oil intake filter (only MR 821, HYM/HYSTR, MTS 950 and SS)		•		•		•	
<input type="checkbox"/> Check and/or adjust valve clearance				•		•	
<input type="checkbox"/> Change timing belts					•	•	60
<input type="checkbox"/> Change the spark plugs (only MR 1200, DVL, MTS 950, SS and HYM/HYSTR 939)				•		•	
<input type="checkbox"/> Change the spark plugs (only MR 821 and HYM/HYSTR 821)			•	•	•	•	
<input type="checkbox"/> Clean air filter			•		•		12
<input type="checkbox"/> Change air filter				•		•	
<input type="checkbox"/> Check brake and clutch fluid level (only brake fluid for MR 821, HYM/HYSTR, MTS 950 and SS)		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid (only brake fluid for MR 821, HYM/HYSTR, MTS 950 and SS)							36
<input type="checkbox"/> Check brake discs and pad wear. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check tightening torque of front and rear brake calliper screws and front brake disc screws		•	•	•	•	•	12
<input type="checkbox"/> Check of tightening of phonic wheel and rear brake disc screws (with removal of the rear wheel shaft, if necessary)			•	•	•	•	12
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check frame-to-engine fasteners tightening			•	•	•	•	12
<input type="checkbox"/> Check wheel hub bearings				•		•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft (for swinging arm only)				•		•	
<input type="checkbox"/> Check the cush drive damper on rear sprocket (for swinging arm only)				•		•	
<input type="checkbox"/> Check the proper tightening of final drive front and rear sprocket nuts		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (chain, front and rear sprockets) and chain sliding shoes			•	•	•	•	12
<input type="checkbox"/> Check the final drive chain tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check steering bearings				•		•	
<input type="checkbox"/> Change front fork fluid					•		
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check the freedom of movement and tightening of the side stand (if installed)		•	•	•	•	•	12
<input type="checkbox"/> Visual check of the fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Check the clutch lever free play (only MR 821, HYM/HYSTR, MTS 950 and SS)		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Change coolant					•		48
<input type="checkbox"/> Check coolant level and circuit for damage		•	•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lights, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0 (*if required)		•	•	•	•	•	12*
<input type="checkbox"/> Final test and road test of the motorcycle, testing safety devices (ex. ABS and DTC), electric fans and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance

Thank you! Your Ducati Technician: \_\_\_\_\_

Current Date: \_\_\_\_\_



### Scheduled Maintenance

Model:  Multistrada 1200 MY10-14     Streetfighter 848     Diavel MY11-14

Plate Number: \_\_\_\_\_ Current km/mi: \_\_\_\_\_


Customer Name: \_\_\_\_\_ Date of Registration: \_\_\_\_\_

Scheduled Maintenance intervention Check List motorcycle equipped with Testastretta 11° engine	km. x 1.000	1	12	24	36	48	Time (months)
	mi. x 1.000	0,6	7,5	15	22,5	30	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter		•					
<input type="checkbox"/> Check and/or adjust valve clearance				•		•	
<input type="checkbox"/> Change timing belts				•		•	60
<input type="checkbox"/> Change spark plugs				•		•	
<input type="checkbox"/> Change spark plugs (only Streetfighter 848)			•	•	•	•	
<input type="checkbox"/> Changing air filter				•		•	
<input type="checkbox"/> Check brake and clutch fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid							36
<input type="checkbox"/> Check pad wear and brake discs. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check tightening of the safety components (front brake disc flange screws, brake calliper screws, front/rear wheel nuts, sprocket and final drive sprocket nuts)		•	•	•	•	•	12
<input type="checkbox"/> Check of tightening of phonic wheel and rear brake disc screws (with removal of the rear wheel shaft)			•	•	•	•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	
<input type="checkbox"/> Check the drive chain tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (chain, front and rear sprockets) and chain sliding shoes			•	•	•	•	12
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Change front fork fluid							36
<input type="checkbox"/> Change front fork fluid (only Multistrada 1200 MY13-14)					•		
<input type="checkbox"/> Check the freedom of movement and tightening of side and central stand (if installed)		•	•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Check coolant level		•	•	•	•	•	12
<input type="checkbox"/> Change coolant							36
<input type="checkbox"/> Change coolant (only Multistrada 1200 MY13-14)						•	48
<input type="checkbox"/> Check electric fan operation		•	•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check idling		•	•	•	•	•	12
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Carry out a visual check of the accelerometer, connections, control unit rubber mount integrity and check the correct association of the D Air® Street jacket/waistcoat with the motorcycle D Air® System (if installed)			•	•	•	•	12
<input type="checkbox"/> Check the tightening of the accelerometer screws on the fork, the correct positioning of the motorcycle D Air® System control unit (if installed)				•		•	
<input type="checkbox"/> Check the indicators and lighting		•	•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0		•	•	•	•	•	
<input type="checkbox"/> Road test of the motorcycle, testing the safety devices (ex. ABS and DTC)		•	•	•	•	•	12
<input type="checkbox"/> Softly clean of the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance

Thank you! Your Ducati Technician: \_\_\_\_\_

Current Date: \_\_\_\_\_



### Scheduled Maintenance


Model:  899 Panigale  959 Panigale  1199 Panigale  1299 Panigale  Panigale R

Plate Number: \_\_\_\_\_ Current km/mi: \_\_\_\_\_

Customer Name: \_\_\_\_\_ Date of Registration: \_\_\_\_\_

Scheduled Maintenance intervention Check List motorcycle equipped with Superquadro engine	km. x 1.000	1	12	24	36	48	Time (months)
	mi. x 1.000	0,6	7,5	15	22,5	30	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Change the engine oil mesh filter assembly				•		•	
<input type="checkbox"/> Check and/or adjust valve clearance				•		•	
<input type="checkbox"/> Visual check for wear of the chain timing system						•	
<input type="checkbox"/> Change spark plugs				•		•	
<input type="checkbox"/> Clean air filter			•		•		
<input type="checkbox"/> Change air filter				•		•	
<input type="checkbox"/> Check the proper tightening of the clutch cover and clutch protection cover screws (only versions with magnesium covers)			•	•	•	•	
<input type="checkbox"/> Check the proper tightening of the oil sump screws (only versions with magnesium sump)				•		•	
<input type="checkbox"/> Check brake and clutch fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid							24
<input type="checkbox"/> Check brake pad wear. Change if necessary		•	•	•	•	•	12
<input type="checkbox"/> Tightening torque check of front and rear brake calliper screws and front brake disc screws		•	•	•	•	•	12
<input type="checkbox"/> Check of tightening of phonic wheel and rear brake disc screws (with removal of the rear wheel shaft, only 1199 Panigale, 1299 Panigale and Panigale R)			•	•	•	•	
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check front and rear wheel bearings				•		•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	
<input type="checkbox"/> Check the cush drive damper on rear sprocket				•		•	
<input type="checkbox"/> Check the proper tightening of final drive front and rear sprocket nuts		•	•	•	•	•	12
<input type="checkbox"/> Check final drive chain sliding shoe wear, tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check water/oil heat exchanger retaining screw tightening		•	•	•	•	•	
<input type="checkbox"/> Check steering bearings and lubricate, if necessary				•		•	24
<input type="checkbox"/> Change front fork fluid							36
<input type="checkbox"/> Visually check the front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check for proper tightening of the swinging arm and frame-to-engine fasteners			•	•	•	•	
<input type="checkbox"/> Check the freedom of movement and tightening of the side stand		•	•	•	•	•	12
<input type="checkbox"/> Visually check the fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Change coolant						•	48
<input type="checkbox"/> Check the coolant level		•	•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level (from instrument panel menu)		•	•	•	•	•	12
<input type="checkbox"/> Check secondary air system operation				•		•	
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand and clutch switch, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lighting, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Reset the Service indication through the DDS 2.0		•	•	•	•	•	
<input type="checkbox"/> Final test and road test of the motorcycle, testing safety devices (ex. ABS and DTC), electric fans and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean of the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance




## Scheduled Maintenance

1299 Superleggera - number: /500 Current km/mi: \_\_\_\_\_  
 Plate Number: \_\_\_\_\_ Date of Registration: \_\_\_\_\_  
 Customer Name: \_\_\_\_\_ Current Date: \_\_\_\_\_

Scheduled Maintenance intervention Check List 1299 Superleggera	km. x 1.000	1	12	24	36	48	Time (months)
	mi. x 1.000	0,6	7,5	15	22,5	30	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Change the engine oil mesh filter assembly				•		•	
<input type="checkbox"/> Check and/or adjust valve clearance and replacement of valve cover aluminium screws			•	•	•	•	
<input type="checkbox"/> Visual check for wear of the chain timing system					•		
<input type="checkbox"/> Change spark plugs				•		•	
<input type="checkbox"/> Clean air filter			•		•		
<input type="checkbox"/> Change air filter				•		•	
<input type="checkbox"/> Replacement of clutch cover, clutch protection cover, generator cover and gear shift cover retaining screws				•		•	
<input type="checkbox"/> Replacement of oil sump retaining screws				•		•	
<input type="checkbox"/> Check brake and clutch fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid							24
<input type="checkbox"/> Check brake pad wear. Change if necessary		•	•	•	•	•	12
<input type="checkbox"/> Tightening torque check of front and rear brake calliper screws and front brake disc screws		•	•	•	•	•	12
<input type="checkbox"/> Check of tightening of phonic wheel and rear brake disc screws (with removal of the rear wheel shaft)			•	•	•	•	
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check front and rear wheel bearings				•		•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	24
<input type="checkbox"/> Check the cush drive damper on rear sprocket				•		•	
<input type="checkbox"/> Check the proper tightening of final drive front and rear sprocket nuts		•	•	•	•	•	12
<input type="checkbox"/> Check final drive chain sliding shoe wear, tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check water/oil heat exchanger retaining screw tightening		•	•	•	•	•	
<input type="checkbox"/> Check steering bearings and lubricate, if necessary				•		•	24
<input type="checkbox"/> Change front fork fluid							36
<input type="checkbox"/> Visually check the front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check for proper tightening of the swinging arm and frame-to-engine fasteners			•	•	•	•	
<input type="checkbox"/> Check the freedom of movement and tightening of the side stand		•	•	•	•	•	12
<input type="checkbox"/> Visually check the fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Change coolant						•	48
<input type="checkbox"/> Check the coolant level		•	•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check of secondary air system operation and reed wholeness			•	•	•	•	
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand and clutch switch, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lighting, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Reset the Service indication through the DDS 2.0		•	•	•	•	•	
<input type="checkbox"/> Final test and road test of the motorcycle, testing safety devices (ex. ABS and DTC), electric fans and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean of the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance




### Scheduled Maintenance

Model: \_\_\_\_\_ Current Km/mi: \_\_\_\_\_  
 Plate Number: \_\_\_\_\_ Date of Registration: \_\_\_\_\_  
 Customer Name: \_\_\_\_\_ Current Date: \_\_\_\_\_

Scheduled Maintenance intervention Check List Scrambler Sixty2 (all versions)	Km. x 1.000	1	10	20	30	40	Time (months)
	mi. x 1.000	0,6	6	12	18	24	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter		•					
<input type="checkbox"/> Check and/or adjust valve clearance			•	•	•	•	
<input type="checkbox"/> Change timing belts				•		•	60
<input type="checkbox"/> Change the spark plugs				•		•	
<input type="checkbox"/> Clean air filter			•		•		
<input type="checkbox"/> Change air filter				•		•	
<input type="checkbox"/> Check brake fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake fluid							36
<input type="checkbox"/> Check brake discs and pad wear. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check the proper tightening of brake calliper bolts and brake disc flange screws		•	•	•	•	•	12
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check frame-to-engine fasteners tightening			•	•	•	•	
<input type="checkbox"/> Check wheel hub bearings				•		•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	
<input type="checkbox"/> Check the cush drive damper on rear sprocket				•		•	
<input type="checkbox"/> Check the proper tightening of final drive front and rear sprocket nuts		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (chain, front and rear sprockets) and chain sliding shoes			•	•	•	•	12
<input type="checkbox"/> Check the final drive chain tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check steering bearings and lubricate, if necessary				•		•	
<input type="checkbox"/> Change front fork fluid					•		
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check the freedom of movement and tightening of the side stand (if any)		•	•	•	•	•	12
<input type="checkbox"/> Visually check the fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Check the clutch lever free play		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Check tyre pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check secondary air system operation			•	•	•	•	
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lights, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0		•	•	•	•	•	
<input type="checkbox"/> Final test and road test of the motorcycle, testing safety devices (ex. ABS) and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Manual)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance



# Scheduled Maintenance

Model: \_\_\_\_\_ Current km/mi: \_\_\_\_\_  
 Plate Number: \_\_\_\_\_ Date of Registration: \_\_\_\_\_  
 Customer Name: \_\_\_\_\_ Current Date: \_\_\_\_\_

Scheduled Maintenance intervention Check List Scrambler 800cc and Monster 797 (all versions)	km. x 1.000	1	12	24	36	48	Time (months)
	mi. x 1.000	0,6	7,5	15	22,5	30	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter		•					
<input type="checkbox"/> Check and/or adjust valve clearance			•	•	•	•	
<input type="checkbox"/> Change timing belts				•		•	60
<input type="checkbox"/> Change the spark plugs				•		•	
<input type="checkbox"/> Clean air filter			•		•		
<input type="checkbox"/> Change air filter				•		•	
<input type="checkbox"/> Check brake fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake fluid							36
<input type="checkbox"/> Check brake discs and pad wear. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check the proper tightening of brake calliper bolts and brake disc flange screws		•	•	•	•	•	12
<input type="checkbox"/> Check front and rear wheel nuts tightening		•	•	•	•	•	12
<input type="checkbox"/> Check frame-to-engine fasteners tightening			•	•	•	•	
<input type="checkbox"/> Check wheel hub bearings				•		•	
<input type="checkbox"/> Check the cush drive damper on rear sprocket				•		•	
<input type="checkbox"/> Check the proper tightening of final drive front and rear sprocket nut		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (chain, front and rear sprockets) and chain sliding shoes			•	•	•	•	12
<input type="checkbox"/> Check the final drive chain tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check steering bearings				•		•	
<input type="checkbox"/> Check spoked wheels as specified in the workshop manual (if any)		•	•	•	•	•	
<input type="checkbox"/> Change front fork fluid					•		
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Check the freedom of movement and tightening of the side stand		•	•	•	•	•	12
<input type="checkbox"/> Visually check the fuel lines			•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance, freedom of movement and positioning of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Check the clutch lever free play		•	•	•	•	•	12
<input type="checkbox"/> Lubricate the levers at the handlebar and pedal controls			•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check lights, turn indicators, horn and controls		•	•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0 (*if required)		•	•	•	•	•	12*
<input type="checkbox"/> Final test and road test of the motorcycle, testing safety devices (ex. ABS) and idling		•	•	•	•	•	12
<input type="checkbox"/> Softly clean the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance  
 In case of off-road use, it is necessary to perform the maintenance operations more frequently than scheduled.



## Scheduled Maintenance

Model: \_\_\_\_\_ Current km/mi: \_\_\_\_\_  
 Plate Number: \_\_\_\_\_ Date of Registration: \_\_\_\_\_  
 Customer Name: \_\_\_\_\_ Current Date: \_\_\_\_\_

Scheduled Maintenance intervention Check List motorcycle equipped with Two-Valve engine and Four-Valve engine - No Testastretta 11° (Since MY2008)	km. x 1.000	1	12	24	36	48	Time (months)
	mi. x 1.000	0.6	7,5	15	22,5	30	
<input type="checkbox"/> Reading of the error memory with DDS 2.0 and check of Software version update on control units		•	•	•	•	•	12
<input type="checkbox"/> Check the presence of any technical updates and recall campaigns		•	•	•	•	•	12
<input type="checkbox"/> Change engine oil and filter		•	•	•	•	•	12
<input type="checkbox"/> Clean engine oil intake filter					•		36
<input type="checkbox"/> Check engine oil pressure				•		•	24
<input type="checkbox"/> Check and/or adjust valve clearance			•	•	•	•	
<input type="checkbox"/> Check timing belt tension			•		•		
<input type="checkbox"/> Change timing belts				•		•	24
<input type="checkbox"/> Check and clean spark plugs. Change, if necessary				•		•	24
<input type="checkbox"/> Check and clean air filter			•		•		
<input type="checkbox"/> Changing air filter				•		•	24
<input type="checkbox"/> Check brake and clutch fluid level		•	•	•	•	•	12
<input type="checkbox"/> Change brake and clutch fluid					•		36
<input type="checkbox"/> Check and adjust brake and clutch controls			•	•	•	•	12
<input type="checkbox"/> Check and lubricate throttle/cold start control			•	•	•	•	12
<input type="checkbox"/> Check pad wear and brake discs. Change, if necessary		•	•	•	•	•	12
<input type="checkbox"/> Check steering head bearings and wheel hubs				•		•	24
<input type="checkbox"/> Check rear wheel flexible coupling				•		•	24
<input type="checkbox"/> Check clutch plates pack. Change, if necessary			•	•	•	•	
<input type="checkbox"/> Check tightening of the safety components (front brake disc flange screws, brake calliper screws, front/rear wheel nuts, sprocket and final drive sprocket nuts, frame/engine screws)		•	•	•	•	•	12
<input type="checkbox"/> Check of tightening of phonic wheel and rear brake disc screws (with removal of the rear wheel shaft, if necessary)			•	•	•	•	
<input type="checkbox"/> Check and lubricate the rear wheel shaft				•		•	
<input type="checkbox"/> Check the drive chain tension and lubrication		•	•	•	•	•	12
<input type="checkbox"/> Check final drive wear (chain, front and rear sprockets) and chain sliding shoes		•	•	•	•	•	12
<input type="checkbox"/> Visual check of front fork and rear shock absorber seals		•	•	•	•	•	12
<input type="checkbox"/> Change front fork fluid					•		36
<input type="checkbox"/> Check the freedom of movement of the side and central stand (if installed)		•	•	•	•	•	12
<input type="checkbox"/> Check rubbing points, clearance and freedom of movement of hoses and electric wiring in view		•	•	•	•	•	12
<input type="checkbox"/> Check coolant level (only for four valve engine)		•	•	•	•	•	12
<input type="checkbox"/> Change coolant (only for four valve engine)					•		36
<input type="checkbox"/> Check electric fan operation (only for four valve engine)		•	•	•	•	•	12
<input type="checkbox"/> Check external fuel lines		•	•	•	•	•	12
<input type="checkbox"/> Lubricate and grease		•	•	•	•	•	12
<input type="checkbox"/> Check tyres pressure and wear		•	•	•	•	•	12
<input type="checkbox"/> Check the battery charge level		•	•	•	•	•	12
<input type="checkbox"/> Check throttle body synchronisation and idling			•	•	•	•	
<input type="checkbox"/> Check the operation of the safety electrical devices (side stand sensor, front and rear brake switches, engine stop switch, gear/neutral sensor)		•	•	•	•	•	12
<input type="checkbox"/> Check the indicators and lighting		•	•	•	•	•	12
<input type="checkbox"/> Reset Service indication through DDS 2.0			•	•	•	•	
<input type="checkbox"/> Road test of the motorcycle, testing the safety devices (ex. ABS and DTC)		•	•	•	•	•	12
<input type="checkbox"/> Softly clean of the motorcycle		•	•	•	•	•	12
<input type="checkbox"/> Fill out that the service was performed in on-board documentation (Service Booklet)		•	•	•	•	•	12

Tick the box next to the interventions carried out during Scheduled Maintenance